# ETHACRYL™ GH 50

Polycarboxylate ether for concrete admixtures

#### **TYPICAL CHARACTERISTICS**

**Aqueous solution of Polycarboxylate Ether** Appearance

Colourless to yellowish liquid

Solid Content (%) 50 7 1.14 Specific gravity

#### **DESCRIPTION**

Ethacryl™ GH 50 is a high-performance easy to formulate superplasticizer for formulating concrete admixtures. Use alone, at low dosage, this additive allows a strong water reduction (>25%) but also guarantees the right compromise of performances related to ready mix concrete. Ethacryl™ GH 50 is a key component while formulating optimized cost/performances concrete formulations.

## **RECOMMENDED ADDITION LEVEL**

0.2 to 1.00% in relation to weight of cement

#### STANDARD PACKAGING

Other packaging may be available upon request

- 1000L IBC
- Bulk

### **HANDLING & STORAGE**

The product can present colour variations from light yellow to slightly brown. These variations can occur in normal storage conditions. They have no influence on the product performances. The product should be protected from the effects of weathering and stored between 5 and 40°C.

In these conditions, this product should be used within 12 months from delivery.

## **PROCESSING INSTRUCTIONS**

Ethacryl™ is added either, together with mixing water, either delayed in previously wet concrete with a fraction of the mixing water.

## **HEALTH AND ENVIRONMENTAL DATA**

For safe handling please refer to the Safety Data Sheet. For more information about health and environmental data, please contact us.

#### **MARKET**

## **Building & Construction**

- Construction Materials
  - Concrete

#### **KEY BENEFITS**

- Alkali content
- Chloride content (%)
- Foam control additives
- Water reduction
- Workability
- Early strength



2024-04-26 Page 1/

