

TECHNICAL DATA SHEET

CorinTH[™] 805-S

Low molecular weight and neutralized scale inhibitor

Acrylic homopolymer

TYPICAL CHARACTERISTICS		MARKETS	
Nature Appearance Solid Content (%)	Polyacrylic acid, sodium salt Slightly viscous liquid, colorless to pale yellow 42	Water Management • Water Treatment	
pH Brookfield viscosity (mPa.s) Specific gravity	8 165 1.31	KEY BENEFITS	
DESCRIPTION		Crystal distortionThreshold effect	•••••
Excellent multi-purpose scale-inhibitor especially for scale of CaCO3, CaSO4, suitable for neutral and alkaline formulation.			
STANDARD PACKAGING			
Other packaging may be available upon request			
 1000L IBC 220L Drum			
HANDLING & STORAGE			
The product should be protected from the effects of weathering and stored between 5 and 40°C. Once opened, packaging should be resealed immediately after use. In these conditions, this product should be used within 12 months from delivery.			
in these conditions, this product	should be used within 12 months from delivery.		
HEALTH AND ENVIRONMENTAL DATA			
For safe handling please refer to the Safety Data Sheet. For more information about health and environmental data, please contact us.			

Headquarter: Arkema France 51, Esplanade du Général de Gaulle 92800 Puteaux – France T +33 (0)1 49 00 80 80

Disclaimer - Please consult Arkema's disclaimer regarding the use of Arkema's products on https://www.arkema.com/global/en/products/product-safety/disclaimer/ which is incorporated herein by reference and made a part hereof.

Arkema France, a French société anonyme registered at the Trade and Companies Register of Nanterre under the number 319 632 790 **arkema.com**

Rheology & Specialty Additives - 2025-07-11 - Page: 1 / 1